Sri Kadidai MANJAPPA.—I think it was prepared last year.

Sri Mulka GOVINDA REDDY.—Are Government in receipt of any representations for this purpose ?

Sri Kadidal MANJAPPA.—I have received representations.

Mr. SPEAKER.—On representations, this has been done.

Sri Mulka GOVINDA REDDY.—No Sir, representations by me, Sir.

Sri Kadidal MANJAPPA.—I do not remember.

Sri Mulka GOVINDA REDDY.—Are Government aware that they promised to consider the sanctioning of this Beeranahally Tank when a cut motion was moved on the floor of this Assembly ?

Sri Kadidal MANJAPPA.—We are considering it.

Sri Mulka GOVINDA REDDY.—For how many years will you consider it, Sir ?

Sri Kadidal MANJAPPA.—Sometimes these projects take a long time.

Sri Mulka GOVINDA REDDY.—It is such a small project. Is it not so, Sir ?

Mr. SPEAKER.—It is a matter of opinion.

Tank Construction (near Kunigal Thimmanahalli of Madhugiri Taluk).

Q.—385. **Sri Mali MARIYAPPA** Pavagada).—

Will the Government be pleased to state :—

(*a*) whether an estimate for the construction of a tank near "Kunigal Thimmanahalli" of Madhugiri Taluk is prepared ;

(*b*) when the work will be taken up ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) Yes.

(*b*) It is not proposed to take it up as it is prohibitively costly.

ಶ್ರೀ ಮಾಲಿ ಮರಿಯಪ್ಪ.—ಎಷ್ಟೆಕರೆ ತರಿ ಅಚ್ಚು ಕಟ್ಟಾಗುತ್ತದೆಂದು ತಿಳಿಸಿದ್ದಾರೆ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—81 ಎಕರೆ ಅಚ್ಚು ಕಟ್ಟು ; ಇದಕ್ಕೆ ಖರ್ಚಾಗುವುದು 2 ಲಕ್ಷ 20 ಸಾವಿರದ ಮೇಲಾಗುತ್ತದೆ. ಲೆಕ್ಕಹಾಕಿದರೆ ಒಂದೆ ಕರೆಗೆ 3,457 ರೂಪಾಯಿ ಖರ್ಚಾಗುತ್ತದೆ.

ಶ್ರೀ ಮಾಲಿ ಮರಿಯಪ್ಪ.—ಇದಕ್ಕೆ ಕಾಂಟ್ರಿಬ್ಯೂಷ್ಷ ಎಷ್ಟು ಕೊಡುವಂತೆ ರೈತರಿಂದ ಬರೆಸಿಕೊಂಡಿದ್ದಾರೆ ?

Sri Kadidal MANJAPPA.—The raiyats have agreed to pay contribution at the rate of Rs. 400 and water rate at Rs. 6 per acre.

ಶ್ರೀ ಮಾಲಿ ಮರಿಯಪ್ಪ.—ಈ ವಿಚಾರವನ್ನು ರೈತರಿಗೆ ತಿಳಿಸಿ ಅವರು ಇನ್ನೂ ಹೆಚ್ಚಾಗಿ ಕೊಡುವುದಕ್ಕೆ ಸಾಧ್ಯವೆ ಎಂದು ಅವರಲ್ಲಿ ಪ್ರಸ್ತಾಪಮಾಡಿದ್ದಾರೆಯೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಎಕರೆಗೆ ಮೂರು ಸಾವಿರ ಚಿಲ್ಲರೆ ಖರ್ಚಾಗುವುದಾದರೆ, it is a prohibitively costly scheme.

ಶ್ರೀ ಮಾಲಿ ಮರಿಯಪ್ಪ.—ಆ ಕೆರೆಯ ನುತ್ತಮುತ್ತ ಇನ್ನೆಲ್ಲಿಯೂ ನೀರಿನ ಆಶ್ರಯವಿಲ್ಲದೇಯಿರುವುದರಿಂದ, ರೈತರು ಈ ಕೆರೆ ಮುಖ್ಯವಾಗಿಬೇಕು, ಇನ್ನೂ ಹೆಚ್ಚು ಕಾಂಟ್ರಿಬ್ಯೂಷ್ಷ ಕೊಡಲು ಸಿದ್ಧವಾಗಿದ್ದೇವೆ ಎಂದು ಹೇಳಿದರೆ ಪರಿಶೀಲನೆಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ತಾವೇ ಅನೇಕ ಸಂದರ್ಭಗಳಲ್ಲಿ ಹೇಳಿದ್ದೀರಿ, ರೈತರೂ ಹೇಳಿದ್ದಾರೆ ಎಕರೆಗೆ ಮೂರು ಸಾವಿರ ನಾಲ್ಕು ಸಾವಿರ ಖರ್ಚಾಗುವುದಾದರೆ, ಅಂದಾಜು ಪುನಃ ರಿವೈಸ್ ಆದರೆ, ಹೇಗೆ ಪುನಃ ಪರಿಶೀಲನೆ ಮಾಡುವುದು ಎಂದು ಯೋಚನೆ ಮಾಡುತ್ತಿದ್ದೇನೆ.

Tank projects in Chamarajanagar Taluk.

Q.—448. **Sri U. M. MADAPPA** (Chamarajanagar).—

Will the Government be pleased to state :—

(*a*) the names of tanks in Chamarajanagar Taluk for which projects have been prepared by the P.W.D. for the current year that is 1954-55 ;

(*b*) if so, whether they would furnish separately the cost of each project so prepared ;

(*c*) whether the said estimates have been sent to the Government for approval or at what stage they are now ?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) (1) Chamasagara Tank.
(2) Ummathur Tank.
(3) Kannegala Tank.
(4) Ramasamudram Doddakere and Chikkere.

		Rs.
(*b*)	(1) Chamasagara Tank.	16,300
	(2) Ummathur Tank.	64,000

	Rs.
(3) Kannegala Tank.	29,000
(4) Ramasamudram Doddakere and Chikkere.	1,08,000

(*c*) Estimate in respect of Chamasagara Tank is under submission to Government by the Chief Engineer.

The estimate relating to Ummathur Tank is under scrutiny in the Superintending Engineer's Office.

The estimates in respect of Kannegala and Ramasamudram Doddakere and Chikkere Tanks are under submission to the Superintending Engineer, Cauvery Circle, by the Executive Engineer, Mysore Division.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ರಾಮಸಮುದ್ರ ದೊಡ್ಡಕೆರೆ ಚಿಕ್ಕಕೆರಗಳಿಗೆ ಸೇರಿದ ಅಚ್ಚುಕಟ್ಟು ಪ್ರದೇಶವೆಷ್ಟು ?

Sri Kadidal MANJAPPA.—I have no information regarding the atchkat.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ಅದರ ಕೆಳಗೆ ಜಾಸ್ತಿ ಅಚ್ಚುಕಟ್ಟಿದೆಯೆಂಬುದು ತಮ್ಮ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಗೊತ್ತಿಲ್ಲ.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ತಾವು ನಮೂದಿಸಿರುವ ಅಂದಾಜುಗಳನ್ನು ಜಾಗ್ರತೆ ಕಾರ್ಯಗತ ಮಾಡುವುದಕ್ಕೆ ಪ್ರಯತ್ನ ಮಾಡುತ್ತೀರಾ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಅಂದಾಜುಗಳನ್ನು ನೋಡಿ ತೀರ್ಮಾನ ಮಾಡಬೇಕಾಗಿದೆ, ಈಗಲೇ ಹೇಳುವುದಕ್ಕಾಗುವುದಿಲ್ಲ.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ತಾವು ಈಗ್ಯೆ ಎರಡು ವರ್ಷಗಳ ಹಿಂದೆ ಚಾಮರಾಜನಗರಕ್ಕೆ ಬಂದಿದ್ದಾಗ ಈ ಕೆರೆಯ ಅಂದಾಜನ್ನು ಮಾಡಬೇಕೆಂದು ಅಧಿಕಾರಿಗಳಿಗೆ ಸೂಚನೆ ಕೊಡಲಿಲ್ಲವೆ ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಇರಬಹುದು.

ಶ್ರೀ ಯು. ಎಂ. ಮಾದಪ್ಪ.—ಎರಡು ವರ್ಷವಾದರೂ ಪೂರ್ತಿಯಾಗದೇ ಇರಲು ಕಾರಣವೇನು ?

ಶ್ರೀ ಕಡಿದಾಳ್ ಮಂಜಪ್ಪ.—ಅಸಿಸ್ಟೆಂಟ್ ಇಂಜಿನಿಯರು ಅಂದಾಜು ತಯಾರುಮಾಡುವುದು, ಅದನ್ನು ಎಗ್ಜಿಕ್ಯೂಟಿವ್ ಇಂಜಿನಿಯರು ಮತ್ತು ಸೂಪರಿಂಟೆಂಡಿಂಗ್ ಇಂಜಿನಿಯರು scrutiny ಮಾಡಬೇಕಾಗುತ್ತದೆ. ಅದರಲ್ಲಿ ತಪ್ಪೇನಾದರೂ ಇದ್ದರೆ ಪುನಃ ಅದನ್ನು ಅಸಿಸ್ಟೆಂಟ್ ಇಂಜಿನಿಯರಿಗೆ ಕಳುಹಿಸಬೇಕಾಗುತ್ತದೆ. ಈ ಎಲ್ಲ ಕಾರಣಗಳಿಂದ ಕೆಲವು ಸಂದರ್ಭಗಳಲ್ಲಿ ಅಂದಾಜು ಪೂರ್ತಿಮಾಡುವುದು ಸ್ವಲ್ಪ ತಡವಾಗುತ್ತದೆ.

Tanks restored and unrestored in Chiknaikanahalli Taluk.

Q.—571. **Sri C. H. LINGADEVARU** (Chiknaikanahalli).—

Will the Government be pleased to state :—

(*a*) the names of tanks in Chiknaikanahalli Taluk requiring restoration ;

(*b*) the names of tanks restored during the last five years in this taluk?

A.—**Sri Kadidal MANJAPPA** (Minister for Revenue and Public Works).—

(*a*) Please see Statement appended below.

(*b*) (i) Gopalapura Tank.
(ii) Kenkere Narasannakere.
(iii) Soralamavu Doddakere.